

# EasyStride

# SAFETY DATA SHEET

Preparation Date: 01-May-2012

Revision Date: 08-Jun-2018

Revision Number: 3

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product Identifier

**Product Name** EasyStride

### Other means of identification

**Item#:** CAN6151

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended use** Cleaning agent

**Uses advised against** All other

### Details of the supplier of the safety data sheet

**Supplier** DeLaval Inc.  
10900 Rue Secant Street  
Ville d'Anjou, Quebec H1J 1S5  
Tel: (705) 741-3100

### Emergency Telephone Number

(613) 996-6666 (Canutec)

## 2. HAZARDS IDENTIFICATION

### Classification

Acute Toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1

### Label Elements

**DANGER**

### Hazard statements

Harmful if swallowed  
Causes severe skin burns and eye damage

May be corrosive to metals



### Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product  
 Do not breathe dust/fume/gas/mist/vapors/spray  
 Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor  
 Specific treatment (see First Aid on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a POISON CENTER or doctor

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing Immediately call a POISON CENTER or doctor

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse mouth. Do not induce vomiting.

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Substance**

Chemical name	CAS No	Weight %
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	10 - 30*
Formic acid	64-18-6	7 - 13*
Sodium dioctyl sulfosuccinate	577-11-7	5 - 10*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**Description of first-aid measures****General Advice**

Do not get in eyes, on skin, or on clothing. Take off contaminated clothing and shoes immediately. Immediate medical attention is required.

**Eye contact**

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention immediately.

**Skin contact**

Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Consult a physician if necessary.

**Inhalation**

Move to fresh air. Get medical attention immediately if symptoms occur.

**Ingestion**

Do not induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get medical attention immediately.

**Most important symptoms and effects, both acute and delayed**

Corrosive. The product causes burns of eyes, skin and mucous membranes.

**Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

The product is not flammable Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

### Unsuitable Extinguishing Media

None known

### Specific hazards arising from the chemical

Corrosive to metals The product causes burns of eyes, skin and mucous membranes

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

NFPA

Health hazards 3

Flammability 0

Instability 0

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing For personal protection see section 8

### Environmental Precautions

Prevent further leakage or spillage if safe to do so

### Methods and material for containment and cleaning up

Soak up with inert absorbent material Keep in suitable, closed containers for disposal

## 7. HANDLING AND STORAGE

### Precautions for Safe Handling

#### Handling

Avoid contact with skin, eyes and clothing

### Conditions for safe storage, including any incompatibilities

#### Storage

Keep containers tightly closed in a dry, cool and well-ventilated place Keep out of the reach of children

#### Incompatible Materials

bases, bleach, light metals (e.g. aluminum, copper, brass, zinc galvanized).

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical name	Alberta	British Columbia	Ontario TWAEV	Quebec
Formic acid 64-18-6	TWA: 5 ppm TWA: 9.4 mg/m <sup>3</sup> STEL: 10 ppm STEL: 19 mg/m <sup>3</sup>	TWA: 5 ppm STEL: 10 ppm	TWA: 5 ppm STEL: 10 ppm	TWA: 5 ppm TWA: 9.4 mg/m <sup>3</sup> STEL: 10 ppm STEL: 19 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Controls** Ensure adequate ventilation, especially in confined areas

**Individual protection measures, such as personal protective equipment**

**Eye/face Protection** Tightly fitting safety goggles

**Skin and body protection** Apron or other light protective clothing, boots and plastic or rubber gloves

**Respiratory Protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice Remove and wash contaminated clothing before re-use

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid	<b>Odor</b>	Strong
<b>Appearance</b>	Blue	<b>Odor Threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks/ • Method</u>
pH	2	No data available
Melting point/freezing point	No data available	No data available
Boiling Point/Range	No data available	No data available
Flash Point	No data available	No data available
Evaporation rate	No data available	No data available
Flammability (solid, gas)	No data available	No data available
Flammability Limit in Air		No data available
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor Pressure	No data available	No data available
Vapor Density	No data available	No data available
Specific Gravity	1.1	No data available
Water Solubility	soluble	No data available
Partition coefficient: n-octanol/water	No data available	No data available
Autoignition Temperature	No data available	No data available
Decomposition temperature	No data available	No data available
Viscosity of Product	No data available	No data available

**Other information**

**Density** 1.1 g/mL

## 10. STABILITY AND REACTIVITY

**Reactivity**

May react with other chemicals, Do not mix with other chemicals except as directed on label

**Chemical Stability**

stable when stored at temperatures not exceeding 80°F. Long-term storage at higher temps may degrade product over time.

**Possibility of hazardous reactions**

May spatter and release heat if mixed with bases (alkalis). Mixing with chlorinated products may release deadly chlorine gas. May react with and cause damage to soft metals such as aluminum, copper, brass or zinc (galvanized) to produce flammable, potentially explosive, hydrogen gas.

**Conditions to Avoid**

Product may degrade if exposed to long-term high temperature

**Incompatible Materials**

bases, bleach, light metals (e.g. aluminum, copper, brass, zinc galvanized).

**Hazardous decomposition products**

None known.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure**

**Eyes** Corrosive to the eyes and may cause severe damage including blindness  
**Skin** Extremely corrosive and destructive to tissue  
**Ingestion** Ingestion causes burns of the upper digestive and respiratory tracts  
**Inhalation** Causes burns. Irritating to respiratory system. Immediate medical attention is required.

**Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 1,535.00  
 ATEmix (dermal) 3,465.00

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts 68439-57-6	= 2220 mg/kg ( Rat )	> 740 mg/kg ( Rabbit )	-
Formic acid 64-18-6	= 1100 mg/kg ( Rat )	-	= 15 g/m <sup>3</sup> ( Rat ) 15 min
Sodium dioctyl sulfosuccinate 577-11-7	= 1900 mg/kg ( Rat ) = 3080 mg/kg ( Rat )	> 10000 mg/kg ( Rabbit )	-

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Skin Corrosion/Irritation** Causes burns  
**Serious eye damage/eye irritation** Causes eye burns  
**Sensitization** None known  
**Mutagenic effects** None known  
**Carcinogenicity** Contains no ingredient listed as a carcinogen  
  
**Reproductive Effects** None known  
**STOT - single exposure** None known  
**STOT - repeated exposure** None known  
**Aspiration Hazard** None known

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

If available, ecotoxicity values of individual components are shown below.

Chemical name	Algae/aquatic plants	Fish	Microtox	Waterflea
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene,	-	12.2: 96 h Brachydanio rerio mg/L LC50	-	-

sodium salts 68439-57-6		semi-static 1.0 - 10.0: 96 h Brachydanio rerio mg/L LC50 static		
Formic acid 64-18-6	25: 96 h Desmodemus subspicatus mg/L EC50 26.9: 72 h Desmodemus subspicatus mg/L EC50	175: 24 h Lepomis macrochirus mg/L LC50 static	EC50 = 46.7 mg/L 17 h	120: 48 h Daphnia magna mg/L EC50 138 - 165.6: 48 h Daphnia magna mg/L EC50 Static
Sodium dioctyl sulfosuccinate 577-11-7	-	24: 96 h Oncorhynchus mykiss mg/L LC50 static 37: 96 h Lepomis macrochirus mg/L LC50 static 20 - 40: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	-	36: 48 h Daphnia magna mg/L EC50

**Persistence and degradability**

No information available.

**Bioaccumulation/Accumulation**

No information available.

**Other adverse effects**

No information available.

### 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods****Waste Disposal Method**

Dispose of in accordance with local regulations. Should not be released into the environment. Contact your local waste disposal authority for advice, or pass to a chemical disposal company.

**Contaminated Packaging**

Triple rinse containers. Avoid contamination of any water supply with product or empty packaging. Empty containers should be taken for local recycling, recovery or waste disposal.

### 14. TRANSPORT INFORMATION

**DOT**

<b>UN-No</b>	3265
<b>Proper Shipping Name</b>	Corrosive liquid, acidic, organic, n.o.s ( Formic acid, LACTIC ACID )
<b>Hazard Class</b>	8
<b>Packing Group</b>	II

### 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture****International Regulations**

**Ozone-depleting substances (ODS)** Not applicable

Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

#### **16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

Preparation Date: 01-May-2012

Revision Date: 08-Jun-2018

Revision Note: No information available.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet